




# High Capacity Fan Coil Submittal Data




## Dimensions and data: Model FDC



Dimensional data				
Unit size	A	B	C	D
06	45-5/8	18-1/2	17	17-11/16
08	48-3/4	21-11/16	21	19-11/16
12	58	30-15/16	31	29-11/16
16	68-7/16	41-3/8	45-1/8	39-5/8
20	76-5/16	49-1/4	45-1/8	47-11/16

Coil connection locations						
Coil	E	F	G	H	J	K
4 Row	12-7/16	9-3/16	N/A	N/A	N/A	N/A
6 Row	14-9/16	9-3/16	N/A	N/A	N/A	N/A
4/1 Row	13-1/2	10-1/4	9-1/8	9-1/8	1-3/8	15-1/8
4/2 Row	14-5/8	11-3/8	10-1/4	9-3/16	3/4	15-1/8
6/1 Row	15-5/8	10-1/4	9-1/8	9-1/8	1-3/8	15-1/8
6/2 Row	16-3/4	11-3/8	10-1/4	9-3/16	3/4	15-1/8



Coil connection sizes (nominal)					
Coil	06	08	12	16	20
1 Row	1/2	1/2	1/2	1/2	3/4
2 Row	1/2	1/2	1/2	1/2	3/4
4 Row	1/2	1/2	3/4	3/4	3/4
6 Row	1/2	1/2	3/4	1	1

**Notes:**

- Right hand piping connections shown, left hand opposite as standard. Piping hand determined when facing the air outlet.
- All listed dimensions are approximate and are subject to change without notice. Modifications to the product specifications must be accepted by Zehnder Rittling at its base office.

**Revised October 2015.** Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 716-827-6510 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at [www.zehnder-rittling.com](http://www.zehnder-rittling.com).

Zehnder Rittling · 100 Rittling Blvd. · Buffalo, NY USA 14220




T 844-934-6337 (844-ZEHNDER) · F 716-218-2805 · [sales@zehnder-rittling.com](mailto:sales@zehnder-rittling.com) · [www.zehnder-rittling.com](http://www.zehnder-rittling.com)

© Zehnder Rittling February 2014, English, subject to change without notice

# High Capacity Fan Coil Submittal Data




## Dimensions and data: FDHP



Dimensional data					
Unit size	A	B	C	D	E
06	33-1/4	22-13/16	16-1/16	18-1/2	21-5/16
08	36-3/8	26	19-1/4	21-5/8	24-7/16
12	45-5/8	35-1/4	28-1/2	30-7/8	33-11/16
16	56-1/16	45-11/16	38-15/16	41-5/16	44-1/8
20	63-15/16	53-9/16	46-13/16	49-3/16	52

Coil connection locations						
Coil	F	G	H	J	K	L
4 Row	5-13/16	2-9/16	N/A	N/A	N/A	N/A
6 Row	7-15/16	2-9/16	N/A	N/A	N/A	N/A
4/1 Row	6-7/8	3-5/8	2-1/2	1-1/4	15	2-1/2
4/2 Row	8	4-3/4	3-5/8	5/8	15	2-9/16
6/1 Row	9	3-5/8	2-1/2	1-1/4	15	2-1/2
6/2 Row	10-1/8	4-3/4	3-5/8	5/8	15	2-9/16



Coil connection sizes (nominal)					
Coil	06	08	12	16	20
1 Row	1/2	1/2	1/2	1/2	3/4
2 Row	1/2	1/2	1/2	1/2	3/4
4 Row	1/2	1/2	3/4	3/4	3/4
6 Row	1/2	1/2	3/4	1	1

**Notes:**

- Right hand piping connections shown, left hand opposite as standard. Piping hand determined when facing the air outlet.
- Electrical opposite piping.
- All listed dimensions are approximate and are subject to change without notice. Modifications to the product specifications must be accepted by Zehnder Rittling at its base office.

**Revised October 2015.** Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 716-827-6510 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at [www.zehnder-rittling.com](http://www.zehnder-rittling.com).

Zehnder Rittling · 100 Rittling Blvd. · Buffalo, NY USA 14220



T 844-934-6337 (844-ZEHNDER) · F 716-218-2805 · [sales@zehnder-rittling.com](mailto:sales@zehnder-rittling.com) · [www.zehnder-rittling.com](http://www.zehnder-rittling.com)

© Zehnder Rittling February 2014, English, subject to change without notice


# High Capacity Fan Coil Submittal Data




## Dimensions and data: Model FDV-800



Dimensional data			
Unit size	A	B	C
06	24-1/8	43-1/8	16
08 & 10	27-1/4	43-1/8	19-1/8
12	36-1/2	44-5/8	28-3/8
14 & 16	46-15/16	43-1/8	38-13/16
18 & 20	54-13/16	44-5/8	46-11/16



Coil connection locations								
Coil	D	E	F	G	H	I	J	K
4 Row	12-7/16	N/A	9-3/8	N/A	N/A	11-1/2	10-3/8	N/A
6 Row	12-3/8	N/A	7-5/16	N/A	N/A	12-5/16	10-7/16	N/A
4/1 Row	12-7/16	10-5/8	9-3/8	5-15/16	18-1/16	11-1/2	10-3/8	5-1/8
4/2 Row	12-7/16	10-13/16	9-3/8	4-7/8	18-5/8	11-1/2	10-3/8	5-1/2
6/1 Row	12-3/8	8-1/2	7-5/16	3-13/16	18-13/16	12-5/16	10-7/16	5-7/8
6/2 Row	12-3/8	8-3/4	7-5/16	2-13/16	19-3/8	12-5/16	10-7/16	6-1/4



Coil connection sizes (nominal)					
Coil	06	08 & 10	12	14 & 16	18 & 20
1 Row	1/2	1/2	1/2	1/2	3/4
2 Row	1/2	1/2	1/2	1/2	3/4
4 Row	1/2	1/2	3/4	3/4	3/4
6 Row	1/2	1/2	3/4	1	1

**Notes:**

- Left hand piping connections shown. Piping hand determined when facing the air outlet.
- All listed dimensions are approximate and are subject to change without notice. Modifications to the product specifications must be accepted by Zehnder Rittling at its base office.

Revised October 2015. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 716-827-6510 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at [www.zehnder-rittling.com](http://www.zehnder-rittling.com).

Zehnder Rittling · 100 Rittling Blvd. · Buffalo, NY USA 14220



T 844-934-6337 (844-ZEHNDER) · F 716-218-2805 · [sales@zehnder-rittling.com](mailto:sales@zehnder-rittling.com) · [www.zehnder-rittling.com](http://www.zehnder-rittling.com)

© Zehnder Rittling February 2014, English, subject to change without notice


# High Capacity Fan Coil Submittal Data




## Dimensions and data: FDV-810



Dimensional data			
Unit size	A	B	C
06	24-1/8	49-1/8	16
08 & 10	27-1/4	49-1/8	19-1/8
12	36-1/2	50-5/8	28-3/8
14 & 16	46-15/16	49-1/8	38-13/16
18 & 20	54-13/16	50-5/8	46-11/16



Coil connection locations								
Coil	D	E	F	G	H	I	J	K
4 Row	12-7/16	N/A	9-3/8	N/A	N/A	17-1/2	16-3/8	N/A
6 Row	12-3/8	N/A	7-5/16	N/A	N/A	18-5/16	16-7/16	N/A
4/1 Row	12-7/16	10-5/8	9-3/8	5-15/16	24-1/16	17-1/2	16-3/8	11-1/8
4/2 Row	12-7/16	10-13/16	9-3/8	4-7/8	24-5/8	17-1/2	16-3/8	11-1/2
6/1 Row	12-3/8	8-1/2	7-5/16	3-13/16	24-13/16	18-5/16	16-7/16	11-7/8
6/2 Row	12-3/8	8-3/4	7-5/16	2-13/16	25-3/8	18-5/16	16-7/16	12-1/4



Coil connection sizes (nominal)					
Coil	06	08 & 10	12	14 & 16	18 & 20
1 Row	1/2	1/2	1/2	1/2	3/4
2 Row	1/2	1/2	1/2	1/2	3/4
4 Row	1/2	1/2	3/4	3/4	3/4
6 Row	1/2	1/2	3/4	1	1

**Notes:**

- Left hand piping connections shown. Piping hand determined when facing the air outlet.
- All listed dimensions are approximate and are subject to change without notice. Modifications to the product specifications must be accepted by Zehnder Rittling at its base office.

Revised October 2015. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 716-827-6510 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at [www.zehnder-rittling.com](http://www.zehnder-rittling.com).

Zehnder Rittling · 100 Rittling Blvd. · Buffalo, NY USA 14220




T 844-934-6337 (844-ZEHNDER) · F 716-218-2805 · [sales@zehnder-rittling.com](mailto:sales@zehnder-rittling.com) · [www.zehnder-rittling.com](http://www.zehnder-rittling.com)

© Zehnder Rittling February 2014, English, subject to change without notice

# High Capacity Fan Coil Submittal Data




## Dimensions and data: FBC



Dimensional data				
Unit size	A	B	C	D
08	34-1/4	24-7/16	21-11/16	11-7/8
12	37-5/8	33-11/16	30-15/16	11-7/8
16	47-7/8	44-1/8	41-3/8	34
20	57-3/8	52	49-1/4	34
30	84-7/8	71-11/16	69	34

Coil connection locations						
Unit size	E	F	G	H	J	K
4 Row	N/A	N/A	11-13/16	8-9/16	N/A	N/A
6 Row	N/A	N/A	11-3/4	6-3/8	N/A	N/A
4/1 Row	11-3/4	11-3/4	10-5/8	7-3/8	5/8	14-3/8
4/2 Row	11-3/4	10-11/16	9-9/16	6-5/16	5/8	15
6/1 Row	11-3/4	11-3/4	10-11/16	5-1/4	5/8	14-3/8
6/2 Row	11-3/4	10-11/16	9-9/16	4-3/16	5/8	15



Coil connection sizes (nominal)					
Unit size	08	12	16	20	30
1 Row	1/2	1/2	1/2	3/4	3/4
2 Row	1/2	1/2	1/2	3/4	3/4
4 Row	1/2	3/4	3/4	3/4	3/4
6 Row	1/2	3/4	1	1	1

### Notes:

- Left hand piping connections shown. Piping hand determined when facing the air outlet.
- Electrical opposite piping.
- All listed dimensions are approximate and are subject to change without notice. Modifications to the product specifications must be accepted by Zehnder Rittling at its base office.

Revised October 2015. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 716-827-6510 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at [www.zehnder-rittling.com](http://www.zehnder-rittling.com).

Zehnder Rittling · 100 Rittling Blvd. · Buffalo, NY USA 14220




T 844-934-6337 (844-ZEHNDER) · F 716-218-2805 · [sales@zehnder-rittling.com](mailto:sales@zehnder-rittling.com) · [www.zehnder-rittling.com](http://www.zehnder-rittling.com)

© Zehnder Rittling February 2014, English, subject to change without notice

# High Capacity Fan Coil Submittal Data




## Dimensions and data: Model FBH



Dimensional data				
Unit size	A	B	C	D
08	36-3/8	26	19-1/4	21-5/8
12	45-5/8	35-1/4	28-1/2	30-7/8
16	56-1/16	45-11/16	38-15/16	41-5/16
20	63-15/16	53-9/16	46-13/16	49-3/16
30	83-5/8	73-1/4	66-1/2	68-7/8

Coil connection locations						
Coil	E	F	G	H	J	K
4 Row	5-13/16	2-9/16	N/A	N/A	N/A	N/A
6 Row	7-15/16	2-9/16	N/A	N/A	N/A	N/A
4/1 Row	6-7/8	3-5/8	2-1/2	1-1/4	15	2-1/2
4/2 Row	8	4-3/4	3-5/8	5/8	15	2-9/16
6/1 Row	9	3-5/8	2-1/2	1-1/4	15	2-1/2
6/2 Row	10-1/8	4-3/4	3-5/8	5/8	15	2-9/16



Coil connection sizes (nominal)					
Coil	08	12	16	20	30
1 Row	1/2	1/2	1/2	3/4	3/4
2 Row	1/2	1/2	1/2	3/4	3/4
4 Row	1/2	3/4	3/4	3/4	3/4
6 Row	1/2	3/4	1	1	1

**Notes:**

- Right hand piping connections shown, left hand opposite as standard. Piping hand determined when facing the air outlet.
- Electrical opposite piping.
- All listed dimensions are approximate and are subject to change without notice. Modifications to the product specifications must be accepted by Zehnder Rittling at its base office.

Revised October 2015. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 716-827-6510 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at [www.zehnder-rittling.com](http://www.zehnder-rittling.com).

Zehnder Rittling · 100 Rittling Blvd. · Buffalo, NY USA 14220

T 844-934-6337 (844-ZEHNDER) · F 716-218-2805 · [sales@zehnder-rittling.com](mailto:sales@zehnder-rittling.com) · [www.zehnder-rittling.com](http://www.zehnder-rittling.com)

© Zehnder Rittling February 2014, English, subject to change without notice