



Zehnder Carboline Ceiling Panels Submittal Data

English, IP Units

Dimensions: T-bar style, 2-pipe



Unit	24" x 24"	24" x 48"	24" x 72"	24" x 96"	24" x 120"
A	23.63"	47.63"	71.63"	95.63"	119.63"
B	16.06"	40.04"	2x 32.03"	2x 44.02"	3x 37.36"
No. of solid panels					
No. of perforated panels					
No. of panels with cut-outs*					



*Cut-out size and location to be confirmed with the factory.

Revised August 2017. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 844-934-6337 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at www.zehnder-rittling.com.

Zehnder Carboline Ceiling Panels Submittal Data

English, IP Units

 Dimensions: T-bar style, 4-pipe



Unit	24" x 24"	24" x 48"	24" x 72"	24" x 96"	24" x 120"
A	23.63"	47.63"	71.63"	95.63"	119.63"
B	16.06"	40.04"	2x 32.03"	2x 44.02"	3x 37.36"
No. of solid panels					
No. of perforated panels					
No. of panels with cut-outs*					



*Cut-out size and location to be confirmed with the factory.

Revised August 2017. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 844-934-6337 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at www.zehnder-rittling.com.

Zehnder Carboline Ceiling Panels Submittal Data

English, IP Units

Dimensions: T-bar style, inactive



Unit	24" x 24"	24" x 48"	24" x 72"	24" x 96"	24" x 120"
A	23.63"	47.63"	71.63"	95.63"	119.63"
B	16.06"	40.04"	2x 32.03"	2x 44.02"	3x 37.36"
No. of solid panels					
No. of perforated panels					
No. of panels with cut-outs*					



*Cut-out size and location to be confirmed with the factory.

Revised August 2017. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 844-934-6337 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at www.zehnder-rittling.com.

Zehnder Carboline Ceiling Panels Submittal Data

English, IP Units

Dimensions: Free hanging style, 2-pipe



Unit	24" x 24"	24" x 48"	24" x 72"	24" x 96"	24" x 120"
A	23.62"	47.24"	70.87"	94.49"	118.11"
B	16.06"	39.69"	2x 31.65"	2x 43.46"	3x 37.00"
No. of solid panels					
No. of perforated panels					
No. of panels with cut-outs*					



*Cut-out size and location to be confirmed with the factory.

Revised August 2017. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 844-934-6337 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at www.zehnder-rittling.com.

Zehnder Carboline Ceiling Panels Submittal Data

English, IP Units

 Dimensions: Free hanging style, 4-pipe



Unit	24" x 24"	24" x 48"	24" x 72"	24" x 96"	24" x 120"
A	23.62"	47.24"	70.87"	94.49"	118.11"
B	16.06"	39.69"	2x 31.65"	2x 43.46"	3x 37.00"
No. of solid panels					
No. of perforated panels					
No. of panels with cut-outs*					



*Cut-out size and location to be confirmed with the factory.

Revised August 2017. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 844-934-6337 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at www.zehnder-rittling.com.

Zehnder Carboline Ceiling Panels Submittal Data

English, IP Units

 Dimensions: Free hanging style, inactive



Unit	24" x 24"	24" x 48"	24" x 72"	24" x 96"	24" x 120"
A	23.62"	47.24"	70.87"	94.49"	118.11"
B	16.06"	39.69"	2x 31.65"	2x 43.46"	3x 37.00"
No. of solid panels					
No. of perforated panels					
No. of panels with cut-outs*					

*Cut-out size and location to be confirmed with the factory.

Revised August 2017. Zehnder Rittling periodically makes changes to the design and/or specifications of its products. As a result, the design and specifications of each product at the time of order may be different than as described herein. Please contact Zehnder Rittling's Sales Support staff at 844-934-6337 for specific information on current design and specifications. Designs, specifications and other information contained herein are not express warranties, which are only as expressly set forth by Zehnder Rittling in its terms and conditions of sale. The latest version of this document is available at www.zehnder-rittling.com.