







ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE

ACCESSORIES



NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
BG3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	8"
				11"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	14"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **BG3**





DATE: **January 2011**

DWG.NO.: **BG3**


zehnder Rittling



* CENTERLINES BASED ON 1" COPPER TUBE



ACCESSORIES



NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
BG5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20"
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **BG5**

DATE: **January 2011**

















DWG.NO.: **BG5**

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE

ACCESSORIES



NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
BGHL3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	8"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	11"
				14"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220

JOB: _____






ENCLOSURE MODEL: **BGHL3**

DATE: **January 2011** | DWG.NO.: **BGHL3**


zehnder

Rittling

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS




ACCESSORIES



* CENTERLINES BASED ON 1" COPPER TUBE

MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
BGHL5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20"
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24"




NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)





















CONTRACTOR _____	ELEMENT _____	ZEHNDER RITTLING 100 RITTLING BLVD. • BUFFALO, NY USA 14220
ARCHITECT _____	RATING _____ BTU _____ A.W.T. _____ E.A.T. _____	JOB: _____
ENGINEER _____	BACKPLATE _____ FULL _____ PARTIAL _____	ENCLOSURE MODEL: BGHL5
REPRESENTATIVE _____	ENCL. GAUGE _____ MATERIAL _____	DATE: January 2011
LOCATION _____	COLOR _____ DAMPER _____	DWG.NO.: BGHL5

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE

ACCESSORIES



- NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)
3) CONSULT FACTORY ON DAMPER AVAILABILITY



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
BGVL3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	11"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	14"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **BGVL3**






DATE: **January 2011**

DWG.NO.: **BGVL3**















zehnder Rittling



* CENTERLINES BASED ON 1" COPPER TUBE



ACCESSORIES



- NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)
3) CONSULT FACTORY ON DAMPER AVAILABILITY



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
BGVL5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20"
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **BGVL5**

DATE: **January 2011**

















DWG.NO.: **BGVL5**

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS




ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE

ACCESSORIES



KNOB DAMPER



SECURITY DAMPER

NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
IBG3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	8"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	11"
				14"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB: _____

ENCLOSURE MODEL: **IBG3**

DATE: **January 2011** | DWG.NO.: **IBG3**





zehnder Rittling

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS












ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE

ACCESSORIES



* CENTERLINES BASED ON 1" COPPER TUBE



NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
IBG5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20"
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **IBG5**





DATE: **January 2011**

DWG.NO.: **IBG5**


ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



* CENTERLINES BASED ON 1" COPPER TUBE



ACCESSORIES



NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)











MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
IBGHL3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	8"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	11"
				14"

CONTRACTOR _____ ELEMENT _____
 ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____
 ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____
 REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____
 LOCATION _____ COLOR _____ DAMPER _____


ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220

JOB:
ENCLOSURE MODEL: **IBGHL3**










DATE: **January 2011** DWG.NO.: **IBGHL3**



ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



ACCESSORIES



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
IBGHL5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20"
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24"

- NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)



CONTRACTOR _____ ELEMENT _____
 ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____
 ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____
 REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____
 LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220



JOB:

ENCLOSURE MODEL: **IBGHL5**















DATE: **January 2011**

DWG.NO.: **IBGHL5**


ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



* CENTERLINES BASED ON 1" COPPER TUBE



"WS"
WALL TRIM SUPPORT



NOTE:

- 1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
- 2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)
- 3) CONSULT FACTORY ON DAMPER AVAILABILITY



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
IBGVL3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	11
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	14

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220






JOB:

ENCLOSURE MODEL: **IBGVL3**


DATE: **January 2011**

DWG.NO.: **IBGVL3**

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



ACCESSORIES



* CENTERLINES BASED ON 1" COPPER TUBE

MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
IBGVL5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24

- NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)
3) CONSULT FACTORY ON DAMPER AVAILABILITY



CONTRACTOR _____ ELEMENT _____
 ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____
 ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____
 REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____
 LOCATION _____ COLOR _____ DAMPER _____


ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220

JOB: _____


ENCLOSURE MODEL: **IBGVL5**

DATE: **January 2011** DWG.NO.: **IBGVL5**









zehnder Rittling



* CENTERLINES BASED ON 1" COPPER TUBE



ACCESSORIES





NOTE:
 1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
 2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)



MODEL	PIPE SIZE		FIN SIZE
	STEEL	COPPER	
PIBG0506	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"
	1", 1-1/4"	3/4", 1", 1-1/4"	**4-1/4" x 4-1/4"







** CUSTOM SLIDE - CRADLES REQ'D ON 1-1/4\"/>

CONTRACTOR _____	ELEMENT _____	ZEHNDER RITTLING 100 RITTLING BLVD. • BUFFALO, NY USA 14220
ARCHITECT _____	RATING _____ BTU _____ A.W.T. _____ E.A.T. _____	JOB: _____
ENGINEER _____	BACKPLATE _____ FULL _____ PARTIAL _____	ENCLOSURE MODEL: PIBG5
REPRESENTATIVE _____	ENCL. GAUGE _____ MATERIAL _____	DATE: _____ DWG.NO.: _____
LOCATION _____	COLOR _____ DAMPER _____	



* CENTERLINES BASED ON 1" COPPER TUBE

ACCESSORIES



NOTE:

- 1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
- 2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)



MODEL	PIPE SIZE		FIN SIZE
	STEEL	COPPER	
PBG1006	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"
	1", 1-1/4"	3/4", 1", 1-1/4"	**4-1/4" x 4-1/4"

** CUSTOM SLIDE - CRADLES REQ'D ON 1-1/4"C & 1-1/4"S APPLICATIONS

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____


LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220




JOB:
ENCLOSURE MODEL: **PBG10**

DATE: _____ DWG.NO.: _____






zehnder Rittling



* CENTERLINES BASED ON 1" COPPER TUBE



ACCESSORIES





NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)









MODEL	PIPE SIZE		FIN SIZE
	STEEL	COPPER	
PIBG0506	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"
	1", 1-1/4"	3/4", 1", 1-1/4"	**4-1/4" x 4-1/4"

** CUSTOM SLIDE - CRADLES REQ'D ON 1-1/4"C & 1-1/4"S APPLICATIONS

CONTRACTOR _____	ELEMENT _____	ZEHNDER RITTLING 100 RITTLING BLVD. • BUFFALO, NY USA 14220
ARCHITECT _____	RATING _____ BTU _____ A.W.T. _____ E.A.T. _____	JOB: _____
ENGINEER _____	BACKPLATE _____ FULL _____ PARTIAL _____	ENCLOSURE MODEL: PIBG5
REPRESENTATIVE _____	ENCL. GAUGE _____ MATERIAL _____	DATE: _____ DWG.NO.: _____
LOCATION _____	COLOR _____ DAMPER _____	



* CENTERLINES BASED ON 1" COPPER TUBE



NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)




MODEL	PIPE SIZE		FIN SIZE
	STEEL	COPPER	
PIBG1006	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"
	1", 1-1/4"	3/4", 1", 1-1/4"	**4-1/4" x 4-1/4"
	1", 1-1/4"	3/4", 1", 1-1/4"	**4-1/4" x 4-1/4"

** CUSTOM SLIDE - CRADLES REQ'D ON 1-1/4"C & 1-1/4"S APPLICATIONS


CONTRACTOR _____	ELEMENT _____	ZEHNDER RITTLING 100 RITTLING BLVD. • BUFFALO, NY USA 14220
ARCHITECT _____	RATING _____ BTU _____ A.W.T. _____ E.A.T. _____	JOB: _____
ENGINEER _____	BACKPLATE _____ FULL _____ PARTIAL _____	ENCLOSURE MODEL: PIBG10
REPRESENTATIVE _____	ENCL. GAUGE _____ MATERIAL _____	DATE: _____ DWG.NO.: _____
LOCATION _____	COLOR _____ DAMPER _____	

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS




ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE

ACCESSORIES




SNAP MOUNTING
CHANNEL DETAIL



DETAIL OF ENCLOSURE
BOTTOM MOUNTING CLIP



SECTION "X - X"
INTERNAL JOGGLE - JOINER



"SNMC"
SNAP MOUNTING
CHANNEL




"SNEXP"
SNAP ENCLOSURE
EXPANSION BRACKET




"SLSRB"
SLIP - IN SECOND
ROW BRACKET




"SLPH"
SLIP - IN PIPE
HANGER




"SNFBP"
SNAP FULL
BACK PANEL




"EC"
END CAP
(LEFT HAND SHOWN)




"WT"
WALL TRIM STRIP
3-1/2", 5", 7-1/2"




"OC"
OUTSIDE CORNER




"IC"
INSIDE CORNER




"AS"
REMOVABLE
ENCLOSURE SECTION
BUTT TYPE STYLE ONLY
NO JOGGLES OR JOINERS



"AP"
ACCESS PANEL
WITH ACCESS DOOR,
(SECURITY LOCK OPT.)



"AC"
END CAP
WITH ACCESS DOOR,
LEFT SIDE SHOWN
(SECURITY LOCK OPT.)



* CENTERLINES BASED ON 1" COPPER TUBE



"WS"
WALL TRIM SUPPORT


MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SBG3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	8
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	11
				14

NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)




CONTRACTOR _____	ELEMENT _____	ZEHNDER RITTLING 100 RITTLING BLVD. • BUFFALO, NY USA 14220
ARCHITECT _____	RATING _____ BTU _____ A.W.T. _____ E.A.T. _____	JOB: _____
ENGINEER _____	BACKPLATE _____ FULL _____ PARTIAL _____	ENCLOSURE MODEL: SBG3
REPRESENTATIVE _____	ENCL. GAUGE _____ MATERIAL _____	DATE: January 2011
LOCATION _____	COLOR _____ DAMPER _____	DWG.NO.: SBG3

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS




ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE

ACCESSORIES




SNAP MOUNTING
CHANNEL DETAIL




DETAIL OF ENCLOSURE
BOTTOM MOUNTING CLIP



SECTION "X - X"
INTERNAL JOGGLE - JOINER



"OC"
OUTSIDE CORNER




"SNEXP"
SNAP ENCLOSURE
EXPANSION BRACKET




"SLSRB"
SLIP - IN SECOND
ROW BRACKET




"SLPH"
SLIP - IN PIPE
HANGER




"SNFBP"
SNAP FULL
BACK PANEL




"EC"
END CAP
(LEFT HAND SHOWN)




"WT"
WALL TRIM STRIP
3-1/2", 5", 7-1/2"




"OC"
OUTSIDE CORNER




"IC"
INSIDE CORNER




"AS"
REMOVABLE
ENCLOSURE SECTION
BUTT TYPE STYLE ONLY
NO JOGGLES OR JOINERS



"AP"
ACCESS PANEL
WITH ACCESS DOOR,
(SECURITY LOCK OPT.)



"AC"
END CAP
WITH ACCESS DOOR,
LEFT SIDE SHOWN
(SECURITY LOCK OPT.)



* CENTERLINES BASED ON 1" COPPER TUBE

MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SBG5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24



"WS"
WALL TRIM SUPPORT

NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)



CONTRACTOR _____ ELEMENT _____
 ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____
 ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____
 REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____
 LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **SBG5**



DATE: **January 2011**

DWG.NO.: **SBG5**


ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



ACCESSORIES













SNAP MOUNTING CHANNEL DETAIL



FLOOR MOUNTING ANGLE DETAIL



SECTION "X - X" INTERNAL JOGGLE - JOINER







- NOTE:
- 1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
 - 2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)
 - 3) CONSULT FACTORY ON DAMPER AVAILABILITY




MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SBGVL3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	

CONTRACTOR _____	ELEMENT _____	ZEHNDER RITTLING 100 RITTLING BLVD. • BUFFALO, NY USA 14220
ARCHITECT _____	RATING _____ BTU _____ A.W.T. _____ E.A.T. _____	JOB: _____
ENGINEER _____	BACKPLATE _____ FULL _____ PARTIAL _____	ENCLOSURE MODEL: SBGVL3
REPRESENTATIVE _____	ENCL. GAUGE _____ MATERIAL _____	DATE: January 2011
LOCATION _____	COLOR _____ DAMPER _____	DWG.NO.: SBGVL3



ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



* CENTERLINES BASED ON 1" COPPER TUBE



ACCESSORIES



NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)
3) CONSULT FACTORY ON DAMPER AVAILABILITY



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SBGVL5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24

CONTRACTOR _____ ELEMENT _____
 ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____
 ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____
 REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____
 LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **SBGVL5**

DATE: **January 2011**


DWG.NO.: **SBGVL5**

ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS




ACCESS DOOR
ALSO AVAILABLE
IN ENCLOSURE


ACCESSORIES




SNAP MOUNTING
CHANNEL DETAIL



DETAIL OF ENCLOSURE
BOTTOM MOUNTING CLIP



SECTION "X - X"
INTERNAL JOGGLE - JOINER



"SNMC"
SNAP MOUNTING
CHANNEL




"SNEXP"
SNAP ENCLOSURE
EXPANSION BRACKET




"SLSRB"
SLIP - IN SECOND
ROW BRACKET




"SLPH"
SLIP - IN PIPE
HANGER




"SNFBP"
SNAP FULL
BACK PANEL




"EC"
END CAP
(LEFT HAND SHOWN)




"WT"
WALL TRIM STRIP
3-1/2", 5", 7-1/2"




"OC"
OUTSIDE CORNER




"IC"
INSIDE CORNER



"AS"
REMOVABLE
ENCLOSURE SECTION
BUTT TYPE STYLE ONLY
NO JOGGLES OR JOINERS




"AP"
ACCESS PANEL
WITH ACCESS DOOR,
(SECURITY LOCK OPT.)



"AC"
END CAP
WITH ACCESS DOOR,
LEFT SIDE SHOWN
(SECURITY LOCK OPT.)

NOTE:
1) ALL ACCESSORIES OVERLAP
(EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL
(EXCEPT AS NOTED)



* CENTERLINES BASED ON 1" COPPER TUBE



"WS"
WALL TRIM SUPPORT

MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SIBG3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	8
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	11
				14

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220

JOB:


ENCLOSURE MODEL: **SIBG3**

DATE: **January 2011**


DWG.NO.: **SIBG3**

zehnder


Rittling



* CENTERLINES BASED ON 1" COPPER TUBE




SNAP MOUNTING CHANNEL DETAIL



DETAIL OF ENCLOSURE BOTTOM MOUNTING CLIP



SECTION "X - X" INTERNAL JOGGLE - JOINER



"SNMC" SNAP MOUNTING CHANNEL




"SNEXP" SNAP ENCLOSURE EXPANSION BRACKET




"SLSRB" SLIP - IN SECOND ROW BRACKET




"SLPH" SLIP - IN PIPE HANGER




"SNFBP" SNAP FULL BACK PANEL




"EC" END CAP (LEFT HAND SHOWN)




"WT" WALL TRIM STRIP




"OC" OUTSIDE CORNER




"IC" INSIDE CORNER




"AS" REMOVABLE ENCLOSURE SECTION BUTT TYPE STYLE ONLY NO JOGGLES OR JOINERS



"AP" ACCESS PANEL WITH ACCESS DOOR, (SECURITY LOCK OPT.)



"AC" END CAP WITH ACCESS DOOR, LEFT SIDE SHOWN (SECURITY LOCK OPT.)



"WS" WALL TRIM SUPPORT

MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SIBG5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20"
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24"

ACCESSORIES

ENCLOSURES ARE AVAILABLE IN 1 FT. TO 8 FT. LENGTHS IN 6 IN. INCREMENTS

ACCESS DOOR ALSO AVAILABLE IN ENCLOSURE

NOTE:
 1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
 2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)



CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____


ZEHNDER RITTLING
 100 RITTLING BLVD. • BUFFALO, NY USA 14220

JOB:


ENCLOSURE MODEL: **SIBG5**

DATE: **January 2011**


DWG.NO.: **SIBG5**



* CENTERLINES BASED ON 1" COPPER TUBE



SNAP MOUNTING CHANNEL DETAIL




FLOOR MOUNTING ANGLE DETAIL




SECTION "X - X" INTERNAL JOGGLE - JOINER



"WS" WALL TRIM SUPPORT



ACCESSORIES



- NOTE:
 1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
 2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)
 3) CONSULT FACTORY ON DAMPER AVAILABILITY



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SIBGVL3	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4" x 3-1/4"	

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
 100 RITTLING BLVD. • BUFFALO, NY USA 14220


JOB:

ENCLOSURE MODEL: **SIBGVL3**






DATE: **January 2011**

DWG.NO.: **SIBGVL3**











ENCLOSURES ARE AVAILABLE IN
1 FT. TO 8 FT. LENGTHS
IN 6 IN. INCREMENTS



* CENTERLINES BASED ON 1" COPPER TUBE



ACCESSORIES



- NOTE:
1) ALL ACCESSORIES OVERLAP (EXCEPT AS NOTED)
2) BUTT TYPE (INTERLOCKING) STYLE OPTIONAL (EXCEPT AS NOTED)
3) CONSULT FACTORY ON DAMPER AVAILABILITY



MODEL	PIPE SIZE		FIN SIZE	A
	STEEL	COPPER		
SIBGVL5	N/A	3/4", 1", 1-1/4"	2-3/4" x 4"	14"
	1", 1-1/4"	3/4", 1", 1-1/4"	3-1/4", x 3-1/4"	20"
	1", 1-1/4", 2"	3/4", 1", 1-1/4"	4-1/4" x 4-1/4"	24"

CONTRACTOR _____ ELEMENT _____

ARCHITECT _____ RATING _____ BTU _____ A.W.T. _____ E.A.T. _____

ENGINEER _____ BACKPLATE _____ FULL _____ PARTIAL _____

REPRESENTATIVE _____ ENCL. GAUGE _____ MATERIAL _____

LOCATION _____ COLOR _____ DAMPER _____

ZEHNDER RITTLING
100 RITTLING BLVD. • BUFFALO, NY USA 14220

JOB:

ENCLOSURE MODEL: **SIBGVL5**

DATE: **January 2011**

DWG.NO.: **SIBGVL5**